

PREPARING FOR YOUR 24-HOUR Ph MONITORING TEST (On Medications)

612-871-1145 | mngi.com

Medications:

Several medications alter the pH level of the stomach. Your doctor may choose to perform the test with or without acid-blocking medications. Your doctor would like you to continue your medications.

pH Test with Stomach Medications:

If your doctor has instructed you to remain on stomach medications, continue your medications prior to the test but please inform the nurse prior to the test.

48 hours before your test:

Avoid taking the following medications. If you are under physician orders to continue these medications for certain medical conditions (such as a seizure disorder), continue taking the medications but please inform the nurse on the day of the test.

Metoclopramide (Reglan®) Bethanechol (Urecholine®) Erythromycin

Muscle relaxers (examples: Flexeril®, Cycloflex®, methocarbamol, metaxalone, carisoprodol, cyclobenzaprine).

Benzodiazepines (examples: clonazepam, Klonipin®, diazepam, Valium®, lorazepam, Ativan®, midazolam, Versed®, temazepam, Restoril®, Xanax®, Alprazolam, Oxazepam, Serax®). Baclofen (Ozobax, Fleqsuvy, Lyvispah, Lioresal)

The Day of Your Test:

- o Do not take any morning medications. Our staff will discuss your medication schedule with you when you arrive.
- o We recommend loose fitting clothing, preferably a button up shirt or blouse. Once the lead wire/tube is in place, it will interfere with your ability to change your clothes.
- o You must be able to remove any nose piercings to complete the test.

Eating/Drinking before the test:

Do not eat anything 6 hours prior to test. Clear liquids are allowed up to 3 hours prior to test.

Bring the following to your test:

- Insurance Card / Photo ID
- List of Current Medications

Cancel or Reschedule Your Appointment:

If you are having flu-like symptoms (such as fever, cough, shortness of breath) within 14 days of your appointment please call to reschedule. If you have any newly diagnosed medical condition (like diverticulitis, heart problems, breathing problems), please call our office. If you need to cancel or reschedule for any other reason, call 612-871-1145 at least 72 hours prior to your appointment.

It is important that you arrive at your scheduled arrival time.

DESCRIPTION OF pH MONITOR 24 HOUR CATHETER

What is 24 hour pH monitoring test?

This test enables your doctor to determine the number of episodes of gastroesophageal reflux, which means the backward flow of the stomach's contents into the esophagus. It also determines how long each of these episodes last and what the acid measurement is. Understanding this is important in recommending the correct treatment for you.

Why is pH monitoring recommended?

pH monitoring can be helpful to evaluate chest pain, reflux, heartburn, respiratory symptoms, voice hoarseness or vomiting.

What should I expect during the procedure?

A staff member designated by the physician will place the tube. A very thin tube will be passed through your nose into your esophagus. The tube will be secured to your nose with tape. The external end will be attached to a small recorder. You can wear the recording device on a belt around your waist or carry it like a shoulder strap. For 24 hours (your testing time), you will be asked to keep a diary of when you eat, sleep, and any symptoms that you experience. These symptoms (example: coughing or heartburn) will then be correlated with the information from the tube in your esophagus.

What happens when the test is finished?

You will return to the office and the tube will be removed. Then, you may return home or go back to work. A computer will analyze the information from your recording device and your diary. The results will be given to a doctor who will study the combined data and send a report to you and your primary physician.

Are there any complications?

This test is very safe with very few potential serious complications. You may feel minor discomfort while the tube is in place and it is normal to feel some "tugging" while eating.